



FREDERICK COUNTY GOVERNMENT

DIVISION OF FINANCE

Erin M. White, CPA, Acting Director

Department of Procurement & Contracting

Diane George, CPPB, Director

Winchester Hall, 12 East Church Street
Frederick, Maryland 21701

www.FrederickCountyMD.gov

O: 301-600-1069 F: 301-600-2521

Commissioners

Blaine R. Young
President

C. Paul Smith
Vice President

Billy Shreve
David P. Gray
Kirby Delauter

Lori L. Depies, CPA
County Manager

May 23, 2014

IFB No. 14-116

**COURT HOUSE AND PUBLIC SAFETY TRAINING CENTER SECURITY IMPROVEMENTS: FURNISH AND
INSTALL BLAST RESISTANT FILM
Addendum No. 3**

This addendum contains revisions, clarifications, and information pertinent to the IFB for the referenced project and shall supplement, amend, and become part of the IFB for the title project and contract. All bids shall be based on this Addendum, in accordance with the IFB documents.

Acknowledgment of this addendum shall be submitted with the bid, including addendum number and date. Failure to acknowledge addendum may subject the contractor to disqualification.

Clarifications:

1. Courthouse Windows L8A (7 each x 47.79 SF = 334.53 SF); L8B (2 each x 76.31 SF = 152.62 SF), & L8C (2 each x 63.94 SF = 127.88 SF) require separate treatment. They require bullet and blast resistant window system installed on the interior of existing windows per the specification identified below. (See Item 4 in Changes to Specifications below).
2. The bid due date is being revised with this addendum (See Item 1 in Changes to Specifications below).

Changes to Specifications:

1. Cover Page and Document A Pertinent Information Summary: **DELETE** the referenced bid due date and **REPLACE** it with the revised bid due date of:

FRIDAY, MAY 30, 2014 at 2:00 PM.

2. Document C Specification Section 9 Work Schedule: **DELETE** the number of calendar days to complete the work for the Court House and **REPLACE** it with: **60 calendar days**. Change any other reference in the bid relating to the number of days to perform the work at the Court House to calendar 60 days.
3. Document C Specification Section 15 Technical Specifications- Court House- **DELETE** the second bullet in Section 15.8.3 and the fifth bullet in Section 15.8.6 in their entirety.

4. Document C Specification Section 15 Technical Specifications- Court House – ADD to Section 15.8.3 specifications for the bullet and blast resistant windows as follows:

The system must meet the following criteria and must be installed per the manufacturer's installation instructions:

- Ballistic Standard: Provide Level 8 bullet resistant protection in accordance with standard UL 752 and Armor Type III in accordance with standard 0801.01 the National Institute of Justice (NIJ).
- Blast Standard: Provide Level 2 Blast protection in accordance with standard GSA-TS01-2003 and ASTM 1642-04.

5. Document C Specification Section 16 Technical Specifications- Public Safety Training Center; **DELETE** the second bullet in Section 16.8.3 and the fifth bullet in Section 16.8.6 in their entirety.
6. Revised Attachment 3, Price Page 2 (provided in Addendum 1) – **DELETE** Revised Attachment 3 Price Page 2 – Addendum 1 and **REPLACE** it with the attached Revised Attachment 3 Price Page 2 – Addendum 3 provided herein as Attachment 1.


Questions:

NONE.

Attachments:

1. Attachment 1 – Revised Attachment 3 – Price Proposal Page 2 – Addendum 3

Except as noted herein, all terms and conditions of the document referenced, as heretofore changed, remain unchanged and in full force and effect.



Bruce Johnson
Project Manager IV

ATTACHMENT 1

REVISED ATTACHMENT 1 PRICE PAGE 2 – ADDENDUM 3

PRICE PAGE NO. 2 – Revised – Addendum #3

**COURT HOUSE AND PUBLIC SAFETY TRAINING CENTER SECURITY IMPROVEMENTS:
FURNISH AND INSTALL BLAST RESISTANT FILM**

ITEM NO.	DESCRIPTION	EST QTY	UNIT PRICE	EXTENDED PRICE
1	Court House: Removal of Existing Solar Film and Installation of Blast Resistant Film Film Manufacturer: _____	4,610 SF	\$ _____	\$ _____
2	Court House: Level 8 bullet resistant/Level 2 blast resistant fixed aluminum window system installed on the interior of existing window. System Manufacturer: _____	615 SF	\$ _____	\$ _____
3	Public Safety Training Center: Installation of Blast Resistant Film Film Manufacturer: _____	970 SF	\$ _____	\$ _____
4	Public Safety Training Center: Removal of Film from Rm 129	260 SF	\$ _____	\$ _____
*TOTAL BID (Items 1, 2, 3, & 4)				\$ _____

*Total Bid shall include all costs for labor and materials.

**THE PERSON COMPLETING THE PRICE PAGE
MUST INITIAL ANY ALTERATIONS IN FIGURES IN INK**

COMPANY NAME: _____
PRINT COMPANY NAME

REPRESENTATIVE'S NAME: _____
PRINT REPRESENTATIVE'S NAME

REPRESENTATIVE'S TITLE: _____
PRINT REPRESENTATIVE'S TITLE

TELEPHONE NUMBER: _____
PRINT REPRESENTATIVE'S TELEPHONE NUMBER

EMAIL ADDRESS: _____
PRINT REPRESENTATIVE'S EMAIL ADDRESS